



Product End of Life Instructions


SEDNA FLOOR THERMOSTAT



Potential disassembly risks

The Circularity profile provides information about preparation for re-use and treatment. It identifies the relevant EEE components and materials as well as their location. Safety instructions for product dismantling and depollution are provided into the User manual or maintenance guide.

End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be dismantled	1	Plastic parts	30.4	
Other	2	Plastic parts	4.8	Shredding
Other	3	Plastic parts	1.1	Shredding
To be depolluted	4	Electronic Board (Communication) > 10cm ²	41.9	
Other	5	Metal parts	30.6	Recycling
To be depolluted	6	Cable (high current)	52.6	



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The thermostat is designed for installation in wall box and aimed for controlling the floor temperature in a room. It includes an ON/OFF switch and a rotary knob for setting the temperature between 5-50°C. The product range does not require special maintenance operations
Product reference	SDD111507
Additional similar product references	SDD111507 SDD111506 SDD114506 SDD112506 SDD113506 SDD114507 SDD112507 SDD113507 SDD511506 SDD514506 SDD512506 SDD513506 SDD511507 SDD514507 SDD512507 SDD513507
Total representative product mass	155 g
Representative product dimensions	47mm x 71mm x 71mm
Accessories	Is possible to add accessories to SEDNA THERMOSTAT SDD111507. This includes aesthetic frame.
Date of information release	10/2020


Additional information
Legal information

This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

Recyclability potential**55%**

Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.schneider-electric.com/contact>

35, rue Joseph Monier
 CS 30323
 F- 92506 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 896 313 776 €

www.schneider-electric.com

Published by Schneider Electric

ENVEOLI1911013_V1-EN

© 2019 - Schneider Electric – All rights reserved

10/2020