


Product End of Life Instructions


Acti9 - iCV40N VigiARC Active

Arc fault detection Residual Current Breaker with Overcurrent





End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board	33	

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	Acti9 iCV40N VigiARC Active provides a protection for final circuits against overcurrents and insulation faults (protection for people against electric shocks). In addition to these protections, the Acti9 iCV40N VigiARC Active monitors for electric arcs that occur in cables and connections, that may cause a fire.
Product reference	A9TDEC616
Additional similar product references	A9TDE3610 - A9TDE3613 - A9TDE3616 - A9TDEC610 - A9TDEC613 - A9TDEC616 - A9TDF3606 - A9TDF3610 - A9TDF3613 - A9TDF3616 - A9TDF3625 - A9TDF3632 - A9TDF3640 - A9TDFC606 - A9TDFC610 - A9TDFC613 - A9TDFC616 - A9TDFC625 - A9TDFC632 - A9TDFC640 - A9TDFD606 - A9TDFD610 - A9TDFD616 - A9TDFD620 - A9TDFD625 - A9TDFD632 - A9TPD4610 - A9TPD4613 - A9TPD4616 - A9TPD4620 - A9TPDD610 - A9TPDD613 - A9TPDD616 - A9TPE4610 - A9TPE4613 - A9TPE4616 - A9TPE4625 - A9TPE4632 - A9TPE4640 - A9TPED610 - A9TPED613 - A9TPED616 - A9TPED625 - A9TPED632 - A9TPED640 - A9TSB3625 - A9TSB3640 -
Total representative product mass	216 g
Representative product dimensions	91 x 36 x 73 mm
Date of information release	01/2023

Additional information

Legal information

The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

Recyclability potential

47%

Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.schneider-electric.com/contact>

35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 896 313 776 €

www.se.com

ENVEOLI2102016_V1-EN

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

01/2023