

Coding profile - CP-DMC 1,5 NAT - 1790647

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Coding profile, for insertion between the coding ribs of the connector and the header following the reflow soldering process, insulating material, color: natural



Key Commercial Data

Packing unit	60 pc
Minimum order quantity	60 pc
GTIN	 4 046356 622318
GTIN	4046356622318

Technical data

Item properties

Brief article description	Coding profile
Range of articles	CODIERUNG
Pitch	0 mm
Number of positions	1

Packaging information

Pieces per package	60
Denomination packing units	Pcs.


Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Drawings

Coding profile - CP-DMC 1,5 NAT - 1790647

Schematic diagram



Classifications

eCl@ss

eCl@ss 10.0.1	27440392
eCl@ss 11.0	27460401
eCl@ss 4.0	27260700
eCl@ss 4.1	27260700
eCl@ss 5.0	27260700
eCl@ss 5.1	27260700
eCl@ss 6.0	27260700
eCl@ss 7.0	27440490
eCl@ss 8.0	27449002
eCl@ss 9.0	27440392

ETIM

ETIM 4.0	EC002498
ETIM 5.0	EC002311
ETIM 6.0	EC002943
ETIM 7.0	EC002943

UNSPSC

UNSPSC 6.01	30211810
-------------	----------

Coding profile - CP-DMC 1,5 NAT - 1790647

Classifications

UNSPSC

UNSPSC 7.0901	39121409
UNSPSC 11	39121409
UNSPSC 12.01	39121409
UNSPSC 13.2	39121410
UNSPSC 18.0	39121410
UNSPSC 19.0	39121410
UNSPSC 20.0	39121410
UNSPSC 21.0	39121410

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		B.01742
-----	---	---------

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>