


szyna zbiorcza kołkowa 3-faz. 10 mm<sup>2</sup> 12 DU szary, szyna zbiorcza kołkowa, stała długość 210 mm do AFDD 5SM601.-2, odstęp między kołkami 2 DU przyłączy: 6 x 3-faz.



Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	szyna zbiorcza kołkowa
wykonanie produktu	10 mm <sup>2</sup> , 4x3FAZ
Ogólne dane techniczne	
liczba faz	3
przekrój	10 mm <sup>2</sup>
Obwód główny	
prąd roboczy wartość znamionowa	63 A
Szczegóły produktu	
właściwość produktu elektrycznie izolowany	Tak
Połączenia	
wykonanie przyłącza elektrycznego	Kołek
Konstrukcja mechaniczna	
wysokość	21,5 mm
szerokość	9,5 mm
długość	210 mm
masa netto	95 g
Zezwolenia Certyfikaty	
General Product Approval	other



[Confirmation](#)

[Miscellaneous](#)



[Miscellaneous](#)

other	Environment
-------	-------------

[Confirmation](#)

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3615-1>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/5ST3615-1>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5ST3615-1](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3615-1)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



---

Ostatnia zmiana:

8.03.2022 

