



KOPOS KOLÍN a.s.
Havlíčkova 432
CZ – 280 94 Kolin IV

EU DECLARATION OF CONFORMITY

No. 2A-EU-14/18-06

In accordance with EU directive 2014/35/EU as amended

We, KOPOS KOLÍN a. s.
Havlíčkova 432
280 94 Kolin IV
Czech Republic
IČ: 61672971
DIČ: CZ61672971

declare under our sole responsibility that

the product/type: **Wiring trunkings and accessories**


manufacturer: **KOPOS KOLÍN a.s. Havlíčkova 432, 280 94 Kolin IV, Czech Republic**

object of the declaration: Wiring trunkings are used for installing small distribution and low voltage.
Wiring trunkings are delivered in lengths of 2 and 3 meters with $\pm 0,5\%$ tolerance.
Material: PVC
Temperature resistance: storage: -15°C to $+60^{\circ}\text{C}$
Temperature resistance: assembly: -5°C to $+60^{\circ}\text{C}$
Resistance to spread of flame: non-flame

The object of the declaration described above is in conformity with the relevant Union harmonisation legislation, other legislation and regulations:

Regulations Of the European Union	Government Regulations	Standards	Certificates and Test Reports	Other technical specification
2014/35/EU - LVD	Law No. 90/2016 Coll. as amended Government Regulation No. 118/2016 Coll. as amended	ČSN EN 50085- 1 ed. 2:06 including amendments (EN 50085- 1:05 including amendments) ČSN EN 50085-2-1:07 including amendments (EN 50085-2-1:06 including amendments	Test Report No. 801481-01/01 of 13.6.2018 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika Test Report No. 605023-01/01 of 29.12.2016 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	Testing of ESC branded products – LH 60x40 HD

		ČSN EN 60529:93+A1:01+A2:14 including amendments	Test Report No. 701828-01/02 of 19.7.2017 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	Test IP40: LZ 15x12 LZK 15x12 LHD 50x20/1 LHD 50x20/2 LE 40 LE 60 LE 80 LE 100 EKE 100x60 EKE 140x60 EKD 80x40 EKD 120x40 PK 110x65 D LO 35 LO 50 LO 75 LP 35 LPK 80x25 LR 30 L 40 L 70 IP 40 covers these types of moldings and channels (see above) made of PC+ABS based on the same product design
		ČSN EN 1127-1:2012 including amendments ČSN CLC/TR 60079-32-1:2016 including amendments	Certificate No. FTZÚ 06 Ex 0043 of 14.9.2016 Issued by: Fyzikálně technický zkušební ústav, Ostrava-Radvanice, státní podnik, Pikartká 7, 716 07 Ostrava Radvanice	For series: LV, LH, LZ, LE, LP, LR, LO, EK, PK, LPK, LZK, LHD, EKE
		ČSN EN 50085-1 ed.2:06 čl. 10.3.2 including amendments ČSN EN ISO 4892-2	Test Report No. 301741-01/02 of 31.5.2013 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika Test Report - Accelerated ageing of 2.3.2010 Issued by: POLYMER INSTITUTE BRNO, s.r.o. Speciální materiály/Materiálový výzkum Tkalcovská 36/2, 656 49 BRNO	Trunking PVC – Test of impact before and after accelerated ageing with UV and IR light UV stability – Trunking PVC

	ČSN EN 62262:97	Test Report No. 501073-01/01 of 31.3.2015 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	IK CODE: LHD 20X20 – IK 06 LO 35 HA – IK 07 PK 90x55 D – IK 07
	ČSN CISPR 17:2000, čl. 4.1,A.1.3,A.1.4	Test Report No. P/07/01/15 of 22.5.2007 Issued by: ABEGU, a.s.ZKUŠEBNA Popelnická 446, 468 41 Tanvald	Clamp PEP 60/K
	ČSN IEC 69-1+A2:1997 ČSN EN 61000-4-4:1997 ČSN EN 61000-4-5:1997	Test Report No. P/99/01/22 of 26.11.1999 Issued by: ABEGU, a.s.ZKUŠEBNA Popelnická 446, 468 41 Tanvald	Set PK 140x70 with screening cover
	ČSN 74 7010-82:1997, čl. 3.7 ČSN IEC 816:1994, čl. 5.5.1.2, 6.1	Test Report No. P/03/01/26 of 8.8.2003 Issued by: ABEGU, a.s.ZKUŠEBNA Popelnická 446, 468 41 Tanvald	Cable trunking PK..J.., EKE..J.., EK..J.., with screening cover SK 40x20, 40x33

By fulfilling the conditions in accordance with these regulations was placed on the product CE marking.

Conformity assessment module: **MODUL A: Internal production control**

Technical documentation of products:

- assembly instructions
- Datasheet
- Catalog for products freely available on <http://www.kopos.cz/cs/katalogy>
- Internal documents

KOPOS KOLÍN a.s. company is certificated according to the standard ISO 9001:2015 and ISO 14001:2015 and according to the National program „Safety Enterprise“.

Signed for KOPOS KOLÍN a.s.

Place of issue: Kolín, Czech Republic

Date of issue: 1.3.2018, update 13.6.2018


Ing. Jana Dejmková

Management representative for QMS

KOPOS KOLÍN a.s.

ÚSEK ŘÍZENÍ SYSTÉMU JAKOSTI



KOPOS KOLÍN a.s.
Havlíčkova 432
CZ – 280 94 Kolín IV

Enclosure No. 1 to EU Conformity Declaration No. 2A-EU-14/18-06

Trunkings and accessories

Name	Type	Covering grade	Impact strength	Accessories - name	Type
Cable trunking	LV 11x10	IP 40	1J	end	8701
				connecting	8702
				bending	8703
				branching	8704
				internalcorner	8705
				externalcorner	8706
				bending radius	8703R
				branching radius	8704R
				internalcorner radius	8705R
				externalcorner radius	8706R
				trough	8707
					8708
					8709
				troughelevated	8707Z
					8708Z
					8709Z
Cable trunking	LV 18x13	IP 40	1J	end	8731
				connecting	8732
				bending	8733
				branching	8734
				internalcorner	8735
				externalcorner	8736
				bending radius	8733 R
				branching radius	8734 R
				internalcorner radius	8735 R
				externalcorner radius	8736 R
				trough	8737
					8738
					8739
				troughelevated	8737Z
					8738Z
					8739Z
Cable trunking	LV 24x22	IP 40	1J	end	8791
				connecting	8792
				bending	8793
				branching	8794
				internalcorner	8795
				externalcorner	8796
				bending radius	8793R
				branching radius	8794R
				internalcorner radius	8795R
				externalcorner radius	8796R

				trough	8797 8798 8799
				trough elevated	8797Z 8798Z 8799Z
Cable trunking	LV 40x15	IP 40	1J	end	8711
				connecting	8714
				bending	8716
				branching	8715
				internal corner	8713/2
				external corner	8712/2
				bending radius	8716R
				branching radius	8715R
				internal corner radius	8713/2R
				external corner radius	8712/2R
				spacer	RLV 40x15 RLV 40x16
				trough	8719 8717 8718
				trough elevated	8719Z 8717Z 8718Z
Cable trunking	LV 40x40	IP 40	1J	end	8721
				connecting	8722
				bending	8723
				branching	8724
				internal corner	8725
				external corner	8726
				bending radius	8723R
				branching radius	8724R
				internal corner radius	8725R
				external corner radius	8726R
				trough	8727 8728 8729
				trough elevated	8727Z 8728Z 8729Z
				spacer	RLV 40x40
Cable trunking	LV 60x40	IP 40	1J	end	8741
				connecting	8742
				bending	8743
				branching	8744
				internal corner	8745
				external corner	8746
				bending radius	8743R
				branching radius	8744R



KOPOS KOLÍN a.s.
Havlíčkova 432
CZ – 280 94 Kolín IV

				internalcorner radius	8745R
				externalcorner radius	8746R
				trough	8747
					8748
					8749
				troughelevated	8747Z
					8748Z
					8749Z
				spacer	RLV 60x40
Cable trunking	LZ 15x12	IP 40	1J	end	8811
				connecting	8812
				bending	8813
				branching	8814
				internalcorner	8815
				externalcorner	8816
				bending radius	8813R
				branching radius	8814R
				internalcorner radius	8815R
				externalcorner radius	8816R
				trough	8817
					8818
					8819
				troughelevated	8817Z
					8818Z
					8819Z
Cable trunking	LZK 15x12	IP 40	1J	end	8801
				connecting	8802
				bending	8803
				branching	8804
				internalcorner	8805
				externalcorner	8806
				bending radius	8803R
				branching radius	8804R
				internalcorner radius	8805R
				externalcorner radius	8806R
				trough	8807
					8808
					8809
				troughelevated	8807Z
					8808Z
					8809Z
Cable trunking	LHD 17x15	IP 40	1J	end	8941
				connecting	8942
				bending	8943
				branching	8944
				internalcorner	8945
				externalcorner	8946
				bending radius	8943R
				branching radius	8944R



KOPOS KOLÍN a.s.
Havlíčková 432
CZ – 280 94 Kolín IV

				internalcorner radius	8945R
				externalcorner radius	8946R
				trough	8947
					8948
					8949
				troughelevated	8947Z
					8948Z
					8949Z
Cable trunking	LHD 17x17	IP 40	1J	end	8671
				connecting	8672
				bending	8673
				branching	8674
				internalcorner	8675
				externalcorner	8676
				bending radius	8673R
				branching radius	8674R
				internalcorner radius	8675R
				externalcorner radius	8676R
				trough	8677
					8678
					8679
				trough elevated	8677Z
					8678Z
					8679Z
Cable trunking	LHD 20x10	IP 40	1J	end	8921
				connecting	8922
				bending	8923
				branching	8924
				internalcorner	8925
				externalcorner	8926
				bending radius	8923R
				branching radius	8924R
				internalcorner radius	8925R
				externalcorner radius	8926R
				trough	8927
					8928
					8929
				troughelevated	8927Z
					8928Z
					8929Z
Cable trunking	LHD 20x20	IP 40	1J	end	8621
	LH 20x20	IP 40	1J	connecting	8622
				bending	8623
				branching	8624
				internalcorner	8625
				externalcorner	8626
				bending radius	8623R
				branching radius	8624R
				internalcorner radius	8625R



KOPOS KOLÍN a.s.
Havlíčkova 432
CZ – 280 94 Kolín IV

				externalcorner radius	8626R
				trough	8627
					8628
					8629
				troughelevated	8627Z
					8628Z
					8629Z
Cable trunking	LHD 25x15	IP 40	1J	end	8691
				connecting	8692
				bending	8693
				branching	8694
				internalcorner	8695
				externalcorner	8696
				bending radius	8693R
				branching radius	8694R
				internalcorner radius	8695R
				externalcorner radius	8696R
				trough	8697
					8698
					8699
				troughelevated	8697Z
					8698Z
					8699Z
Cable trunking	LHD 25x20	IP 40	1J	end	8911
				connecting	8912
				bending	8913
				branching	8914
				internalcorner	8915
				externalcorner	8916
				bending radius	8913R
				branching radius	8914R
				internalcorner radius	8915R
				externalcorner radius	8916R
				trough	8917
					8918
					8919
				troughelevated	8917Z
					8918Z
					8919Z
Cable trunking	LHD 30x25	IP 40	1J	end	8931
				connecting	8932
				bending	8933
				branching	8934
				internalcorner	8935
				externalcorner	8936
				bending radius	8933R
				branching radius	8934R
				internalcorner radius	8935R
				externalcorner radius	8936R



KOPOS KOLÍN a.s.
Havlíčkova 432
CZ – 280 94 Kolín IV

				trough	8937 8938 8939
				troughelevated	8937Z 8938Z 8939Z
Cable trunking	LHD 32x15	IP 40	1J	end	8601
				connecting	8602
				bending	8603
				branching	8604
				internalcorner	8605
				externalcorner	8606
				bending radius	8603R
				branching radius	8604R
				internalcorner radius	8605R
				externalcorner radius	8606R
				trough	8607 8608 8609
				troughelevated	8607Z 8608Z 8609Z
Cable trunking	LH 15x10	IP 40	1J	end	8681
				connecting	8682
				bending	8683
				branching	8684
				internalcorner	8685
				externalcorner	8686
				bending radius	8683R
				branching radius	8684R
				internalcorner radius	8685R
				externalcorner radius	8686R
				trough	8687 8688 8689
				troughelevated	8687Z 8688Z 8689Z
Cable trunking	LH 40x20	IP 40	1J	end	8631
	LHD 40x20	IP 40	1J	connecting	8632
				bending	8633
				branching	8634
				internalcorner	8635
				externalcorner	8636
				bending radius	8633R
				branching radius	8634R
				internalcorner radius	8635R
				externalcorner radius	8636R
				trough	8637



KOPOS KOLÍN a.s.
Havlíčkova 432
CZ – 280 94 Kolín IV

					8638
					8639
				trough elevated	8637Z
					8638Z
					8639Z
Cable trunking	LH 40x40	IP 40	1J	end	8641
	LHD 40x40	IP 40	1J	connecting	8642
				bending	8643
				branching	8644
				internal corner	8645
				external corner	8646
				bending radius	8643R
				branching radius	8644R
				internal corner radius	8645R
				external corner radius	8646R
				trough	8647
					8648
					8649
				trough elevated	8647Z
					8648Z
					8649Z
Cable trunking	LHD 50x20	IP 30	0,5J	end	8991
				connecting	8992
				bending	8993
				branching	8994
				internal corner	8995
				external corner	8996
				trough	8999
Cable trunking	LHD 50x20/1	IP 40	0,5J	end	8991
				connecting	8992
				bending	8993
				branching	8994
				internal corner	8995
				external corner	8996
				trough	8999
Cable trunking	LHD 50x20/2	IP 40	0,5J	end	8991
				connecting	8992
				bending	8993
				branching	8994
				internal corner	8995
				external corner	8996
				trough	8999
Cable trunking	LH 60x40	IP 40	1J	end	8651
				connecting	8652
				bending	8653
				branching	8654



KOPOS KOLÍN a.s.
Havlíčková 432
CZ – 280 94 Kolín IV

Cable trunking	LH 80x40 P	IP 40	1J	internalcorner	8655
	LH 80x40	IP 40	1J	externalcorner	8656
				bending radius	8653R
				branching radius	8654R
				internalcorner radius	8655R
				externalcorner radius	8656R
				trough	8657
					8658
					8659
				troughelevated	8657Z
					8658Z
					8659Z
				spacer	RLH 60x40
				partition walls	PEK 40
				end	8661
				connecting	8662
				bending	8663
				branching	8664
				internalcorner	8665
				externalcorner	8666
				bending radius	8663R
				branching radius	8664R
				internalcorner radius	8665R
				externalcorner radius	8666R
				trough	8667
					8668
					8669
				troughelevated	8667Z
					8668Z
					8669Z
				spacer	RLH 80x40
				partition walls	PEK 40
Cable trunking Elegant	LE 40	IP 40	0,5J	end	8751
				connecting	8752
				bending	8753
				branching	8754
				internalcorner	8755
				externalcorner	8756
				bending radius	8753R
				branching radius	8754R
				internalcorner radius	8755R
				externalcorner radius	8756R
				trough	8757
					8758
					8759
				troughelevated	8757Z
					8758Z
					8759Z
				spacer	RLE 40
				blind	ZPNE 40



KOPOS KOLÍN a.s.
Havlíčková 432
CZ – 280 94 Kolín IV

ZPNE 40x20
PNEV
40x202Z

Cable trunking Elegant	LE 60	IP 40	0,5J	end	8761
				connecting	8762
				bending	8763
				branching	8764
				internalcorner	8765
				externalcorner	8766
				bending radius	8763R
				branching radius	8764R
				internalcorner radius	8765R
				externalcorner radius	8766R
				trough	8767
					8768
					8769
				troughelevated	8767Z
					8768Z
					8769Z
				branching transition	8767/40
				spacer	RLE 60
				blind	ZPNE60
					ZPNE60x20
Cable trunking Elegant	LE 80	IP 40	0,5J	end	8771
				connecting	8772
				bending	8773
				branching	8774
				internalcorner	8775
				externalcorner	8776
				bending radius	8773R
				branching radius	8774R
				internalcorner radius	8775R
				externalcorner radius	8776R
				trough	8777
					8778
					8779
				troughelevated	8777Z
					8778Z
					8779Z
				branching transition	8777/60
					8777/40
				spacer	RLE 80
				blind	ZPNE80
					ZPNE80x20
Cable trunking Elegant	LE 100	IP 40	0,5J	end	8781
				connecting	8782
				bending	8783



KOPOS KOLÍN a.s.
Havlíčkova 432
CZ – 280 94 Kolín IV

				branching	8784
				internalcorner	8785
				externalcorner	8786
				bending radius	8783R
				branching radius	8784R
				internalcorner radius	8785R
				externalcorner radius	8786R
				trough	8787
					8788
					8789
				troughelevated	8787Z
					8788Z
					8789Z
				branching transition	8787/80
					8787/60
					8787/40
				spacer	RLE 100
				blind	ZPNE100
					ZPNE100x20
Cable trunking	EK 100x40	IP 40	2J	end	8521
				connecting	8522
				bending	8523
				branching	8524, 8524/5
				internalcorner	8525
				externalcorner	8526
				bending radius	8523R
				branching radius	8524R
				internalcorner radius	8525R
				externalcorner radius	8526R
				trough	8527
					8528
					8529
				troughelevated	8527Z
					8528Z
					8529Z
				spacer	REK 100x40
				partition walls	PEK 40
Cable trunking	EK 120x40	IP 40	2J	end	8531
				connecting	8532
				bending	8533
				branching	8534
				internalcorner	8535
				externalcorner	8536
				bending radius	8533R
				branching radius	8534R
				internalcorner radius	8535R
				externalcorner radius	8536R
				trough	8537
					8538
					8539



KOPOS KOLÍN a.s.
Havlíčková 432
CZ – 280 94 Kolín IV

Cable trunking Elegant	EKE 60x60	IP 30	2J	troughelevated	8537Z 8538Z 8539Z
				spacer	REK 120x40
				partition walls	PEK 40
				end	8541
				connecting	8542
				bending	8543
				branching	8544
				internalcorner	8545
				externalcorner	8546
				trough	8547 8548 8549
				troughelevated	8547Z 8548Z 8549Z
				partition walls	PEKE 60 PEK 60
				end	8551
				connecting	8552
				bending	8553
Cable trunking Elegant	EKE 100x60	IP 40	2J	branching	8554
				internalcorner	8555
				externalcorner	8556
				trough	8557 8558 8559
				troughelevated	8557Z 8558Z 8559Z
				cover apparatus single	8550-11
				cover apparatus duple	8550-12
				cover apparatus triple	8550-13
				spacer	REKE 100
				end	8561
				connecting	8562
				bending	8563
				branching	8564
				internalcorner	8565
				externalcorner	8566
Cable trunking Elegant	EKE 140x60	IP 40	2J	trough	8567 8568 8569
				troughelevated	8567Z 8568Z 8569Z

				cover apparatus single	8560-11
				cover apparatus double	8560-12
				cover apparatus triple	8560-13
					8560-11/1
					8560-12/1
					8560-13/1
				spacer	REKE 140
Cable trunking Elegant	EKE 180x60	IP 30	2J	end	8571
				connecting	8572
				bending	8573
				branching	8574
				internal corner	8575
				external corner	8576
				trough	8577
					8578
					8579
				trough elevated	8577Z
					8578Z
					8579Z
				spacer	REKE 180
				cover apparatus single	8570-11
				cover apparatus double	8570-12
				cover apparatus triple	8570-13
					8570-11/1
					8570-12/1
					8570-13/1
				spacer	REKE 60
Cable trunking	EKD 80x40	IP 40	1J	end	8501
				connecting	8502
				bending	8503
				branching	8504
				branching	8504/EKD
				internal corner	8505
				external corner	8506
				bending radius	8503R
				branching radius	8504R
				internal corner radius	8505R
				external corner radius	8506R
				spacer	REKO 80x40
				partition walls	PEKD 40
Cable trunking	EKD 100x40	IP 30	1J	end	8511
				connecting	8512
				bending	8513
				branching	8514
				branching	8514/EKD
				internal corner	8515
				external corner	8516



KOPOS KOLÍN a.s.
Havlíčkova 432
CZ – 280 94 Kolín IV

				bending radius	8513R
				branching radius	8514R
				internalcorner radius	8515R
				externalcorner radius	8516R
				spacer	REKO 100x40
				partition walls	PEKD 40
Cable trunking	EKD 120x40	IP 40	1J	end	8581
				connecting	8582
				bending	8583
				branching	8584
				branching	8584/EKD
				internalcorner	8585
				externalcorner	8586
				bending radius	8583R
				branching radius	8584R
				internalcorner radius	8585R
				externalcorner radius	8586R
				spacer	REKO 120x40
				partition walls	PEKD 40
Cable trunking	PK 110x70	IP 40	1J	end	8421
				connecting	8422K
					8422V
				bending	8423
					8423K
				branching	8424
					8423KT
				internalcorner	8425
					8425K
				externalcorner	8426
					8426K
				trough	8427
					8428
					8429
				troughelevated	8427Z
					8428Z
					8429Z
				partition walls	PPK 70
				covering frame	8420-11
					8420-12
					8420-13
Cable trunking	PK 110x70 D	IP 40	1J	end	8451
				connecting	8452
				bending	8453
				branching	8454
				internalcorner	8455
				externalcorner	8456
				trough	8457
					8458



KOPOS KOLÍN a.s.
Havlíčkova 432
CZ – 280 94 Kolín IV

				trough elevated	8459 8457Z 8458Z 8459Z
				trough	PKUS 60
				apparatus pad	8450-11 8450-12 8450-13
Cable trunking	PK 140x70	IP 40	1J	end	8431
				connecting	8432K
				bending	8433K
				branching	8433KT
				internal corner	8435K
				external corner	8436K
				trough	8437 8438 8439
				trough elevated	8437Z 8438Z 8439Z
				partition walls	PPK 70
				covering frame	8420-11 8420-12 8420-13
Cable trunking	PK 140x70 D	IP 40	1J	end	8461
				connecting	8462
				bending	8463
				branching	8464
				internal corner	8465
				external corner	8466
				trough	8467 8468 8469
				trough elevated	8467Z 8468Z 8469Z
				apparatus pad	8440-11 8440-12 8440-13 8440-11/1 8440-12/1 8440-13/1
Cable trunking	PK 170x70	IP 40	1J	end	8411
				connecting	8412
				bending	8413
				branching	8414
				internal corner	8415
				external corner	8416
				trough	8417



KOPOS KOLÍN a.s.
Havlíčkova 432
CZ – 280 94 Kolín IV

					8418
					8419
				trough elevated	8417Z
					8418Z
					8419Z
				apparatus pad	8440-11
					8440-12
					8440-13
					8440-11/1
					8440-12/1
					8440-13/1
Cable trunking	PK 170x70 D	IP 40	1J	end	8441
				connecting	8442
				bending	8443
				branching	8444
				internal corner	8445
				external corner	8446
				trough	8447
					8448
					8449
				trough elevated	8447Z
					8448Z
					8449Z
Cable trunking	PK 160x65 D	IP 40	1J	end	8481
				connecting	8482
				bending	8483
				branching	8484
				internal corner	8485
				external corner	8486
				trough	8487
					8488
					8489
				trough elevated	8487Z
					8488Z
					8489Z
				cover of parapet. trunking	VPK 45
Cable trunking	PK 90x55 D	IP 40	2J	end	8401
				connecting	8402
				bending	8403
				branching	8404
				internal corner	8405
				external corner	8406
				trough	8407
					8408
					8409
				trough elevated	8407Z
					8408Z
					8409Z
				branching transition	8404/160

8404/210

Cable trunking	PK 120x55 D	IP 40	1J	end	8471
				connecting	8472
				bending	8473
				branching	8474
				internalcorner	8475
				externalcorner	8476
				trough	8477
					8478
					8479
				troughelevated	8477Z
Cable trunking	PK 200x70 D PK 210x70 D	IP 40 IP 40	1J 1J	end	8491
				connecting	8492
				bending	8493
				branching	8494
				internalcorner	8495
				externalcorner	8496
				trough	8497
					8498
					8499
				troughelevated	8497Z
Cable trunking	PK 110X65 D	IP 40	1J	end	8211
				connecting	8212
				bending	8213
				branching	8214
				internalcorner	8215
				externalcorner	8216
				trough	8217
Cable trunking	PK 130X65 D	IP 40	1J	end	8221
				connecting	8222
				bending	8223
				branching	8224
				internalcorner	8225
				externalcorner	8226
				trough	8227
Cable trunking	PK 170X65 D	IP 40	1J	end	8231
				connecting	8232
				bending	8233



KOPOS KOLÍN a.s.
Havlíčkova 432
CZ – 280 94 Kolín IV

				branching	8234
				internalcorner	8235
				externalcorner	8236
				trough	8237
Profil PVC	100x100				
Cable trunking	LO 35	IP 40	1J	end	8831
				connecting	8832
				bending	8833
				branching	8834
				branching transition	8835
				internalcorner	8836
				bending radius	8833R
				branching radius	8834R
				branching transition	
				radius	8835R
				internalcorner radius	8836R
				trough	8837
					8838
					8839
				troughelevated	8837Z
					8838Z
					8839Z
Cable trunking	LO 50	IP 40	1J	end	8841
				connecting	8842
				bending	8843
				branching	8844
				branching transition	8845
				internalcorner	8846
				bending radius	8843R
				branching radius	8844R
				branching transition	
				radius	8845R
				internalcorner radius	8846R
				trough	8847
					8848
					8849
				troughelevated	8847Z
					8848Z
					8849Z
Cable trunking	LO 70	IP 30	1J	end	8881
				connecting	8882
				bending	8883
				branching	8884
				internalcorner	8885
				externalcorner	8886
				bending radius	8883R
				branching radius	8884R
				branching transition	8885R



KOPOS KOLÍN a.s.
Havlíčková 432
CZ – 280 94 Kolín IV

				radius	
				internalcorner radius	8886R
				trough	8887
					8888
					8889
				troughelevated	8887Z
					8888Z
					8889Z
Cable trunking	LO 75	IP 40	1J	end	8871
				connecting	8872
				bending	8873
				branching	8874
				internalcorner	8875
				externalcorner	8876
				bending radius	8873R
				branching radius	8874R
				branching transition	
				radius	8875R
				internalcorner radius	8876R
				trough	8877
					8878
					8879
				troughelevated	8877Z
					8878Z
					8879Z
Cable trunking	LP 35	IP 40	2J	end	8861
				endleft	8861L
				endright	8861 P
				connecting	8862
				bending	8863
				branching	8864
				branching transition	8864/1
				internalcorner	8865
				externalcorner	8866
				bending radius	8863R
				branching radius	8864R
				branching transition	
				radius	8864/1R
				internalcorner radius	8865R
				externalcorner radius	8866R
				trough	8867
					8868
					8869
				troughelevated	8867Z
					8868Z
					8869Z
Cable trunking	LP 35/I	IP 20	2J		
Cable trunking	LP 80x25	IP 20	2J	end	8821L
	LPK 80x25	IP 40			8821P



KOPOS KOLÍN a.s.
Havlíčková 432
CZ – 280 94 Kolín IV

LPK 80X25/IB
LPK 80X25/ID

connecting	8822
bending	8823/13 L
	8823/13 P
branching	8824
internalcorner	8825
externalcorner	8826
bending radius	8823/13LR
	8823/13PR
branching radius	8824R
internalcorner radius	8825R
externalcorner radius	8826R
trough	8827
	8828
	8829
troughelevated	8827Z
	8828Z
	8829Z
branching transition	8824/12
	8824/40
	8824/41
	8824/43
	8824/44

Cable trunking	LR 30	IP 40	2J	end	8851
				connecting	8852
				bending	8853
				branching	8854
				branching transition	8854/1
				internalcorner	8855
				internalcorner	8855/3
				externalcorner	8856
				branching radius	8853R
				branching radius	8854R
				branching transition	
				radius	8854/1R
				internalcorner radius	8855/3R
					8855R
				externalcorner radius	8856R
				trough	8857
					8858
					8859
				troughelevated	8857Z
					8858Z
					8859Z

Cable trunking	L 20	IP 30	2J	end	L20 KO
				connecting	L20 SP
				bending	L20 OH
				branching	L20 OD
				internalcorner	L20 RO

Cable trunking	L 27	IP 30	2J		
----------------	------	-------	----	--	--



KOPOS KOLÍN a.s.
Havlíčkova 432
CZ – 280 94 Kolín IV

Cable trunking	L 40	IP 40	2J	end	L40 KO
				connecting	L40 SP
				bending	L40 OH
				branching	L40 OD
				internalcorner	L40 RO
Cable trunking	L 70	IP 40	2J	end	L70 KO
				connecting	L70 SP
				bending	L70 OH
				branching	L70 OD
				internalcorner	L70 RO

Accessories

Screening trunking	SK 40x20
Screening trunking	SK 40x33
Clamp	PSK 1
Connecting wire	PLSK
Wall	PEP 60
Screening wall	PEP 60/K 70/60
Screening wall	PKS 70/60
Cover	VLK 80/R
	VLK 80/T
	LKM/1


KOPOS KOLÍN a.s.
ÚSEK ŘÍZENÍ SYSTÉMU JAKOSTI